

```
/*
Pro Spring
By Rob Harrop
Jan Machacek
ISBN: 1-59059-461-4
Publisher: Apress
*/
```

```
////////////////////////////////////
////
//File: builtin.xml
<!DOCTYPE beans PUBLIC "-//SPRING//DTD BEAN//EN" "http://www.springframework.org/dt
d/spring-beans.dtd">
<beans>
  <bean id="builtInSample" class="PropertyEditorBean">
    <property name="class">
      <value>java.lang.String</value>
    </property>
    <property name="file">
      <value>c:/test.txt</value>
    </property>
    <property name="locale">
      <value> en-GB </value>
    </property>
    <property name="url">
      <value>http://www.springframework.org</value>
    </property>
    <property name="properties">
      <value>
        name=foo
        age=19
      </value>
    </property>
    <property name="strings">
      <value>rob,jan,rod,jurgen,alef</value>
    </property>
    <property name="bytes">
      <value>Hello World</value>
    </property>
  </bean>
</beans>
```

```
////////////////////////////////////
////
import java.io.File;
import java.net.URL;
import java.util.Locale;
import java.util.Properties;

import org.springframework.beans.factory.BeanFactory;
import org.springframework.beans.factory.xml.XmlBeanFactory;
import org.springframework.core.io.FileSystemResource;

public class PropertyEditorBean {
```

```

private Class cls;

private File file;

private URL url;

private Locale locale;

private Properties properties;

private String[] strings;

private byte[] bytes;

public void setClass(Class cls) {
    System.out.println("Setting class: " + cls.getName());
    this.cls = cls;
}

public void setFile(File file) {
    System.out.println("Setting file: " + file.getName());
    this.file = file;
}

public void setLocale(Locale locale) {
    System.out.println("Setting locale: " + locale.getDisplayName());
    this.locale = locale;
}

public void setProperties(Properties properties) {
    System.out.println("Loaded " + properties.size() + " properties");
    this.properties = properties;
}

public void setStrings(String[] strings) {
    System.out.println("Loaded " + strings.length + " Strings");
    this.strings = strings;
}

public void setUrl(URL url) {
    System.out.println("Setting URL: " + url.toExternalForm());
    this.url = url;
}

public void setBytes(byte[] bytes) {
    System.out.println("Adding " + bytes.length + " bytes");
    this.bytes = bytes;
}

public static void main(String[] args) {
    BeanFactory factory = new XmlBeanFactory(new FileSystemResource(
        "build/builtin.xml"));
    PropertyEditorBean bean = (PropertyEditorBean) factory
        .getBean("builtInSample");
}
}

```